


AngelEye Hotel is an alarm system aimed at pool drowning prevention in small commercial and residential pools.

The system works effectively using underwater cameras which incorporate special sensors and LED lights. The AngelEye software is able to analyze any unusual movements by pool users which may indicate a person requires assistance and may be at risk of drowning at which time the system will immediately alert lifeguards or responders.

AngelEye Hotel has been specifically created to meet the typical requirements of hotels with their pool safety firmly in mind.

Installation is simple and allows for the replacement of any pre-existing underwater lights with the new LED-inbuilt devices.

The system-generated alarms can be sent out to the most modern devices such as personal computers, tablets and smartphones.



Technical Specifications

Typical Customer	This solution is exclusively designed for hotels, residences, spas, therapeutic centres.
Pool Types	All types of pool, including those made of steel, tiles, PVC and fiberglass.
Pool Size	From a minimum length of 5 meters up to a maximum of 18, with rectangular or irregular shapes .
Number of Camera Devices	From a minimum of 1 up to a maximum of 4, depending on both the pool's technical features.
Underwater Device Types	LED-lights with integrated safety sensors and video cameras, which one can install to replace pre-existing lights.
Central Control Unit	This is made up of all suitably-configured hardware and software components the system needs to function, in 2 different versions: <ul style="list-style-type: none"> – Basic, for operating 1 or 2 camera devices – Standard, for operating 3 or 4 camera devices
LED Lighting	Each underwater device includes – on top of the sensors and drowning alarm equipment – one set of long life, white LED lights.
Installation	<p>The installation is care of the client and can be carried out with the help of local technicians.</p> <p>AngelEye delivers pre-configured systems so as to be operational as soon as the installation is finished.</p> <p>Technical support by AngelEye – round-the-clock on demand – can guide personnel through the installation phases as well as provide all the necessary technical documentation.</p> <p>The installation method for underwater devices is akin to that of all pool lights; therefore, it is easy to implement by the abovementioned technicians.</p> <p>Underwater devices come with niches and can be installed in any available niche devoted to pre-existing lights; in this case, no invasive interventions to the pool are needed.</p>

Standard Equipment

Standard Equipment for All Versions	<ul style="list-style-type: none"> – Pre-installed and configured central unit together with hardware and software (<i>Basic or Standard version</i>); – Underwater device together with safety video camera plus drowning detection sensors, Inbuilt LED-light, 10 meter underwater cable, Housing niche for the pool or adapting systems for pre-existing niches, IP56 box for electric and data connections (<i>quantities vary depending on version</i>) – 2 App Android and iOS licenses for managing alarms
Maintenance Service	<p>Maintenance yearly fee, starting day on the date of activation, which includes:</p> <ul style="list-style-type: none"> – Faulty parts replacement via the “Assistance Center” mode – software updates – Noise Reduction System (NRS) service

Versions

XS Version	For managing very small pools, up to 5 meters long, made up of: <ul style="list-style-type: none"> - Basic Version Central Unit - 1 Underwater device
S Version	For managing smallish pools, up to 9 meters long, made up of: <ul style="list-style-type: none"> - Basic Version Central Unit - 2 Underwater Devices
M Version	For managing medium-sized pools, up to 14 meters long, made up of: <ul style="list-style-type: none"> - Standard Version Central Unit - 3 Underwater Devices
L Version	For managing large-sized pools, up to 18 meters long, made up of: <ul style="list-style-type: none"> - Standard Version Central Unit - 4 Underwater Devices

